
TEMPORARY



APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

	Date of filing in State Engineer's Office	. 6 1993
The applicant Santa Fe Pacific Gold Corporation Twin Creeks Mine Post Office Drawer 2220 See Attachment A Berith by Rection 19. The application for permission to change the strengt of sees in the following point of diversion is located within the SWs of the SMs of seed to survey. It was the rectofore appropriated under 49634 Steam of seed and seed to see the see that see the seed to see the seed to see the seed to see the see that seed to		
Post Office Drawer 2220 Since and No of FCO. Box No. Nevada. 89446-2220 hereby make. application for permission to change the point of diversion. Indeed of diversion. Indeed of the point of the point of diversion. Indeed of the point of the poin	Corrected application filed	Map file AN 3 0 1986 under 49633
Nevada 89446-220 hereby make application for permission to change the point of diversion, place of use, manner of use of a portion. point of diversion, place of use, manner of use of a portion. by water heretofore appropriated under 49634 location right in Device. 1. The source of water is	The applicant Santa Fe Pacific Go	ld Corporation Twin Creeks Mine
Nevada 89446-220 hereby make application for permission to change the point of diversion, place of use, manner of use of a portion. point of diversion, place of use, manner of use of a portion. by water heretofore appropriated under 49634 location right in Device. 1. The source of water is	Post Office Drawer 2220	of Winnemucca.
point of diversion, place of use. Described diversion and diversion and of diversion and proper of use and/or place of use. 49634 Beauty examing right by Permit, Certificate, Proof of Claim Nos. If Decreed, give table of Decree at the analysis of the		
of water heretofore appropriated under. 49534 beauty existing right by Permit, Certificate, Proof of Claim Nes, If Decreed, give talle of Decree at Memory right in Decree. 1. The source of water is. 1. The source of water to be changed. 2. 25 c.f.s. 3. The water to be used for. 4. The water to be used for. 5. The water to be used for. 6. The water heretofore permitted for. 6. The water heretofore permitted for. 6. The water is to be diverted at the following point. 6. The water is to be diverted at the following point. 7. Describe to a section corner. If on unsurveyed land, it about be stated. 8. Existing permitted point of diversion is located within. 8. Existing place of use. See Attachment A Describe by legal suddivisions. If for irrigation, state number of acres to be tringsted. 8. Existing place of use. See Attachment A Describe by legal suddivisions. If for irrigation state number of acres to be tringsted. 8. Existing place of use. See Attachment A Describe by legal suddivisions. If for irrigation, state number of acres to be tringsted. 8. Existing place of use. See Attachment A Describe by legal suddivisions. If for irrigation, state number of acres to be tringsted. 8. Existing place of use. See Attachment A Describe by legal suddivisions. If for irrigation, state number of acres to be tringsted. 8. Existing place of use. See Attachment A Describe by legal suddivisions. If for irrigation, state number of acres to be tringsted. 9. Use will be from 9. Use will be from 9. Use was permitted from 9.		
1. The source of water is		·
2. The amount of water to be changed. 0.25 c.fs Second feet, are feet. One second foot equals 448.33 gallons per minute. 3. The water to be used for. dewatering, mining, milling and domestic purposes Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals. 4. The water heretofore permitted for mining, milling and domestic purposes Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals. 5. The water is to be diverted at the following point. SEANWA SECTION 19, T.33N., R.43E. Describe as being within a 40-acre subdivision of public survey and by course at DW-9 distance to a section corner. If on unsurveyed land, it should be stated. 6. The existing permitted point of diversion is located within the SWA of the SWA of Section 32 T.39! If point of diversion is not changed, do not answer. R.43E, M.D.B. & M., at a point which bears N.86°14'E a distance of 700 feet from the SW corner of said Section 32. 7. Proposed place of use. See Attachment A Describe by legal subdivisions. If for irrigation state number of acres to be irrigated. 8. Existing place of use. See Attachment A Describe by legal subdivisions. If for irrigation, state number of acres to be irrigated. 9. Use will be from January 1 to December 31 of each year Month and Day Month a		
2. The amount of water to be changed	The source of water isundergro	und
3. The water to be used for dewatering, mining, milling and domestic purposes. Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals. 4. The water heretofore permitted for, mining, milling and domestic purposes. Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals. 5. The water is to be diverted at the following point. SE4MW3 Section 19, T.39N., R.43E. Describe as being within a 40-acre subdivision of public survey and by course at the policy of the section of public survey and by course at the section of the section of public survey and by course at the section of the section of the section of public survey and by course at the section of the section of public survey and by course at the section of the section of public survey and by course at the section of the section of public survey and by course at the section of		
4. The water heretofore permitted for mining, milling and domestic purposes Irrigation, power, mining, industria, etc. If for stock state number and kind of animals. 5. The water is to be diverted at the following point. SEMMUNE, SECTION 19, T., 39N., R.43E. Describe as being within a 40-acre subdivision of public survey and by course as DN-9 distance to a section corner. If on unsurveyed land, it should be stated. 6. The existing permitted point of diversion is located within. the SW2 of the SW3 of Section 32 T.391 If point of diversion is not changed, do not answer. R.43E, M.D.B. & M., at a point which bears N.86°14'E a distance of 700 feet from the SW corner of said Section 32. 7. Proposed place of use. See Attachment A Describe by legal subdivisions. If for irrigation state number of acres to be urrigated. 8. Existing place of use. See Attachment A Describe by legal subdivisions. If for irrigation, state number of acres to be urrigated. 9. Use will be from January 1 December 31 One cach year Month and Day Month and D		
5. The water is to be diverted at the following point SE¼NW½ Section 19, T.39N., R.43E. Describe as being within a 40-acre subdivision of public survey and by course at DN-9 distance to a section corner. If on unsurveyed land, it should be stated. 6. The existing permitted point of diversion is located within the SW½ of the SW¼ of Section 32 T.39! If point of diversion is not changed, do not answer. R.43E., M.D.B. & M., at a point which bears N.86 ⁰ 14 'E a distance of 700 feet from the SW corner of said Section 32. 7. Proposed place of use. See Attachment A Describe by legal subdivisions. If for irrigation state number of acres to be irrigated. 8. Existing place of use. See Attachment A Describe by legal subdivisions. If permit is for irrigation, state number of acres to be irrigated. 9. Use will be from. January 1 Month and Day O Use was permitted from January 1 Month and Day O Use was permitted from January 1 Month and Day December 31 Month and Day O Use was permitted from January 1 Month and Day Month and Day Nometh and Day Describe of proposed works. (Under the provisions of NRS 535.010 your and distribution System. State manner in which water is to be diverted, i.e. diversion structure ditches, pipes and flumes, or drilled well, etc. 2. Estimated cost of works \$100,000,00		
DW-9 distance to a section corner. If on unsurveyed land, it should be stated. 6. The existing permitted point of diversion is located within. the SW4 of the SW5 of Section 32 T.39! R.43E, M.D.B. & M., at a point which bears N.86 ⁰ 14 E a distance of 700 feet from the SW corner of said Section 32. 7. Proposed place of use. See Attachment A Describe by legal subdivisions. If for irrigation state number of acres to be irrigated. 8. Existing place of use. See Attachment A Describe by legal subdivisions. If permit is for irrigation, state number of acres irrigated. If changing place of use and/or manner of use of irrigation permit, describe acreage to be removed from irrigation. 9. Use will be from January 1 Month and Day 1 December 31 Month and Day 1 Month and Day 1 Month and Day 1 Month and Day 1 December 31 Month and Day 1 Month and Day 1 Month and Day 1 Month and Day 1 Month and Day 2 December 31 Month and Day 3 Of each year Month and Day 3 1. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans an specifications of your diversion or storage works.) Well, pump, motor and distribution system. State manner in which water is to be diverted, i.e. diversion structure ditches, pipes and flumes, or drilled well, etc. 2. Estimated cost of works. \$100,000.00		
R. 43E, M.D.B. & M., at a point which bears N. 86°14°E a distance of 700 feet from the SW corner of said Section 32. 7. Proposed place of use. See Attachment A Describe by legal subdivisions. If for irrigation state number of acres to be irrigated. 8. Existing place of use. See Attachment A Describe by legal subdivisions. If permit is for irrigation, state number of acres irrigated. If changing place of use and/of manner of use of irrigation permit, describe acreage to be removed from irrigation. 9. Use will be from January 1 Month and Day O Lise was permitted from January 1 Month and Day 1. Describetion of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans an specifications of your diversion or storage works.) Well. pump. motor and distribution system. State manner in which water is to be diverted, i.e. diversion structure ditches, pipes and flumes, or drilled well, etc. 2. Estimated cost of works. \$100,000,00		
7. Proposed place of use	6. The existing permitted point of diversion is IR.43E, M.D.B. & M., at a point wh	ocated within the SW¼ of the SW½ of Section 32 T.39N If point of diversion is not changed, do not answer. Lich bears N.86 ⁰ 14'E a distance of 700 feet
8. Existing place of use	from the SW corner of said Section	on 32.
8. Existing place of use	7. Proposed place of use See Attach Describe	ment A by legal subdivisions. If for irrigation state number of acres to be irrigated.
 Use was permitted from. January 1 to December 31 of each year Month and Day Month and Day Month and Day Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans an specifications of your diversion or storage works.) Well, pump, motor and distribution system. State manner in which water is to be diverted, i.e. diversion structure ditches, pipes and flumes, or drilled well, etc. Estimated cost of works. \$100,000,00 		
 Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans an specifications of your diversion or storage works.). Well, pump, motor and distribution system. State manner in which water is to be diverted, i.e. diversion structure ditches, pipes and flumes, or drilled well, etc. Estimated cost of works. \$100,000.00 		
specifications of your diversion or storage works.). Well, pump, motor and distribution system. State manner in which water is to be diverted, i.e. diversion structum ditches, pipes and flumes, or drilled well, etc. 2. Estimated cost of works. \$100,000.00	0. Use was permitted from January 1 Month and	to December 31 of each year. Month and Day
ditches, pipes and flumes, or drilled well, etc. 2. Estimated cost of works \$100,000.00	1. Description of proposed works. (Under the	provisions of NRS 535.010 you may be required to submit plans and
ditches, pipes and flumes, or drilled well, etc. 2. Estimated cost of works \$100,000.00	specifications of your diversion or storage we	orks.) Well, pump, motor and distribution system. State manner in which water is to be diverted, i.e. diversion structure,
	ditches, pipes and flumes, or drilled well, etc.	
3. Estimated time required to construct works is one year.	2. Estimated cost of works \$100,000.00	
	3. Estimated time required to construct works	is one year.

40 ac D 0 D	
40 dC, P.U.D.	
••••••	- (Dialida D. Haddan)
Compared_bl/bkab/vw	By s/Richie D, Haddock Santa Fe Pacific gold Corp. Twin Creeks Min P.O. Drawer 2220, Winnemucca, NV 89446
Protested	
APPROVAL	OF STATE ENGINEER
	egoing application, and do hereby grant the same, subject to the
following limitations and conditions:	e point of diversion, place of use and manner o
nange proposed herein. This temporal the pit area in addition to mining all shall be equipped with a 2-inch and maintained in the discharge pi	her rights on the source will be affected by the ry permit specifically allows for the dewatering and milling purposes previously authorized. The opening and a totalizing meter must be installed peline near the point of diversion and accurate
e installed before any use of the work is filed. It is understood that any water of all be used first by the permittee for a tering and other related mining and admilling uses within the described part of a monthly report shall be submitted at of each calendar quarter which shall all, the rate of diversion pumped sevel (drawdown) from each well, and the did milling uses, project wide.	ed to beneficial use. The totalizing meter must ater begins or before the proof of completion of btained as a result of this dewatering operation r mining, milling, heap leaching, drilling, road milling uses herein after referred to as mining
e installed before any use of the work is filed. It is understood that any water of all be used first by the permittee for a tering and other related mining and admilling uses within the described part A monthly report shall be submitted of each calendar quarter which shall the rate of diversion pumped sevel (drawdown) from each well, and the did milling uses, project wide.	ed to beneficial use. The totalizing meter mus ater begins or before the proof of completion of btained as a result of this dewatering operation of mining, milling, heap leaching, drilling, roal milling uses herein after referred to as mininglace of use on this permit. In the State Engineer within 15 days after the linclude: the volume of water pumped from each from each well, the measurement of pumping wate the volume of water consumptively used for mining the state of the state consumptively used for mining the state of the state
installed before any use of the work is filed. It is understood that any water of all be used first by the permittee for a tering and other related mining and admilling uses within the described part A monthly report shall be submitted at of each calendar quarter which shall all, the rate of diversion pumped sevel (drawdown) from each well, and the admilling uses, project wide. CONTINUED ON PAGE 2) The amount of water to be changed shall be limited	ed to beneficial use. The totalizing meter mus ater begins or before the proof of completion of btained as a result of this dewatering operation of mining, milling, heap leaching, drilling, roal milling uses herein after referred to as mining lace of use on this permit. It does not not be state and the state after the line of water pumped from each from each well, the measurement of pumping wates he volume of water consumptively used for mining to the amount which can be applied to beneficial use, and not to
installed before any use of the work is filed. It is understood that any water of all be used first by the permittee for a tering and other related mining and admilling uses within the described part A monthly report shall be submitted and of each calendar quarter which shall all, the rate of diversion pumped and milling uses, project wide. CONTINUED ON PAGE 2) The amount of water to be changed shall be limited exceed. 0.25	ed to beneficial use. The totalizing meter mus ater begins or before the proof of completion of btained as a result of this dewatering operation of mining, milling, heap leaching, drilling, road milling uses herein after referred to as mining lace of use on this permit. It does not not be state Engineer within 15 days after the linclude: the volume of water pumped from each from each well, the measurement of pumping wate he volume of water consumptively used for mining to the amount which can be applied to beneficial use, and not to cubic feet per second but not to exceed 181.0
installed before any use of the work is filed. It is understood that any water of all be used first by the permittee for a tering and other related mining and admilling uses within the described part A monthly report shall be submitted of each calendar quarter which shall all, the rate of diversion pumped evel (drawdown) from each well, and the did milling uses, project wide. CONTINUED ON PAGE 2) The amount of water to be changed shall be limited exceed	ed to beneficial use. The totalizing meter mus ater begins or before the proof of completion of btained as a result of this dewatering operation of mining, milling, heap leaching, drilling, road milling uses herein after referred to as mining lace of use on this permit. It does not not be state and the state after within 15 days after the linelude: the volume of water pumped from each from each well, the measurement of pumping wate the volume of water consumptively used for mining to the amount which can be applied to beneficial use, and not to cubic feet per second , but not to exceed 181.0
installed before any use of the work is filed. It is understood that any water of the related in the used first by the permittee for the tring and other related mining and and milling uses within the described put A monthly report shall be submitted at of each calendar quarter which shall the rate of diversion pumped shall the rate of diversion pumped at the did milling uses, project wide. CONTINUED ON PAGE 2) The amount of water to be changed shall be limited exceed	ed to beneficial use. The totalizing meter mus ater begins or before the proof of completion of btained as a result of this dewatering operation of mining, milling, heap leaching, drilling, roal milling uses herein after referred to as mininglace of use on this permit. In the state Engineer within 15 days after the linclude: the volume of water pumped from each from each well, the measurement of pumping water he volume of water consumptively used for mining to the amount which can be applied to beneficial use, and not to cubic feet per second , but not to exceed 181.0
installed before any use of the work is filed. It is understood that any water of all be used first by the permittee for a tering and other related mining and admilling uses within the described part of a monthly report shall be submitted at of each calendar quarter which shall all, the rate of diversion pumped at a dwell (drawdown) from each well, and the admilling uses, project wide. CONTINUED ON PAGE 2) The amount of water to be changed shall be limited exceed	ed to beneficial use. The totalizing meter mus ater begins or before the proof of completion of btained as a result of this dewatering operation of mining, milling, heap leaching, drilling, road milling uses herein after referred to as mining lace of use on this permit. It is days after the line of the State Engineer within 15 days after the line lude: the volume of water pumped from each from each well, the measurement of pumping wate the volume of water consumptively used for mining to the amount which can be applied to beneficial use, and not to cubic feet per second , but not to exceed 181.0
installed before any use of the work is filed. It is understood that any water of all be used first by the permittee for a tering and other related mining and admilling uses within the described part of a monthly report shall be submitted of each calendar quarter which shall all, the rate of diversion pumped and well (drawdown) from each well, and the did milling uses, project wide. CONTINUED ON PAGE 2) The amount of water to be changed shall be limited exceed	ed to beneficial use. The totalizing meter mus ater begins or before the proof of completion of btained as a result of this dewatering operation of mining, milling, heap leaching, drilling, road milling uses herein after referred to as mining lace of use on this permit. It does not not be state Engineer within 15 days after the linclude: the volume of water pumped from each from each well, the measurement of pumping wate he volume of water consumptively used for mining to the amount which can be applied to beneficial use, and not to cubic feet per second , but not to exceed 181.0
installed before any use of the work is filed. It is understood that any water of all be used first by the permittee for a tering and other related mining and admilling uses within the described part of a monthly report shall be submitted of each calendar quarter which shall all, the rate of diversion pumped and well (drawdown) from each well, and the did milling uses, project wide. CONTINUED ON PAGE 2) The amount of water to be changed shall be limited exceed	ed to beneficial use. The totalizing meter mus ater begins or before the proof of completion of btained as a result of this dewatering operation of mining, milling, heap leaching, drilling, road milling uses herein after referred to as mining lace of use on this permit. It does not not be state Engineer within 15 days after the linclude: the volume of water pumped from each from each well, the measurement of pumping wate he volume of water consumptively used for mining to the amount which can be applied to beneficial use, and not to cubic feet per second , but not to exceed 181.0
It is understood that any water of the work is filed. It is understood that any water of the all be used first by the permittee for the tering and other related mining and and milling uses within the described part of the amount of the tering and the submitted of each calendar quarter which shall the state of diversion pumped that the teritory of the action of the continued of	ed to beneficial use. The totalizing meter mus ater begins or before the proof of completion of btained as a result of this dewatering operation of mining, milling, heap leaching, drilling, roal milling uses herein after referred to as mining lace of use on this permit. It does not not be state Engineer within 15 days after the linclude: the volume of water pumped from each from each well, the measurement of pumping wate he volume of water consumptively used for mining to the amount which can be applied to beneficial use, and not to cubic feet per second . But not to exceed 181.0
installed before any use of the work is filed. It is understood that any water of tall be used first by the permittee for the tall be used first by the permittee for the tall be used first by the permittee for the tall be used first by the permittee for the tall be used first by the permittee for the tall be used in the tall tall ing uses within the described pure A monthly report shall be submitted of each calendar quarter which shall tall, the rate of diversion pumped in the tall tall, the rate of diversion pumped in the tall tall ing uses, project wide. CONTINUED ON PAGE 2) The amount of water to be changed shall be limited exceed	ed to beneficial use. The totalizing meter mus ater begins or before the proof of completion of btained as a result of this dewatering operation of mining, milling, heap leaching, drilling, roal milling uses herein after referred to as mining lace of use on this permit. It does not not be state Engineer within 15 days after the linclude: the volume of water pumped from each from each well, the measurement of pumping wate he volume of water consumptively used for mining to the amount which can be applied to beneficial use, and not to cubic feet per second . But not to exceed 181.0
installed before any use of the work is filed. It is understood that any water of tall be used first by the permittee for the tall be used first by the permittee for the tall be used first by the permittee for the tall be used first by the permittee for the tall be used first by the permittee for the tall be used in the tall tall ing uses within the described pure A monthly report shall be submitted of each calendar quarter which shall tall, the rate of diversion pumped in the tall tall, the rate of diversion pumped in the tall tall ing uses, project wide. CONTINUED ON PAGE 2) The amount of water to be changed shall be limited exceed	ed to beneficial use. The totalizing meter mus ater begins or before the proof of completion of btained as a result of this dewatering operation of mining, milling, heap leaching, drilling, roamilling uses herein after referred to as mining lace of use on this permit. It is days after the include: the volume of water pumped from each from each well, the measurement of pumping wate he volume of water consumptively used for mining to the amount which can be applied to beneficial use, and not to cubic feet per second. In the measurement of pumping water to the amount which can be applied to beneficial use, and not to cubic feet per second. In the measurement of pumping water to the amount which can be applied to beneficial use, and not to cubic feet per second. In the measurement of pumping water to the amount which can be applied to beneficial use, and not to cubic feet per second. In the measurement of pumping water to the amount which can be applied to beneficial use, and not to cubic feet per second. In the measurement of pumping water to the amount which can be applied to beneficial use, and not to cubic feet per second. In the measurement of pumping water to the volume of water pumping water to the volume of water pumping water to the volume of water pumping water to the volume of pumping water to the volume of water pumping water pumping water to the volume of water pumping water to the volume of water pumping water pumping wa
installed before any use of the work is filed. It is understood that any water of the last is understood to the permittee for the last is used of the last is used in the last is used and milling uses within the described part of the last is used in the last is u	ed to beneficial use. The totalizing meter mustater begins or before the proof of completion of btained as a result of this dewatering operation or mining, milling, heap leaching, drilling, roal milling uses herein after referred to as mining lace of use on this permit. In the State Engineer within 15 days after the linclude: the volume of water pumped from each from each well, the measurement of pumping water he volume of water consumptively used for mining to the amount which can be applied to beneficial use, and not to cubic feet per second. but not to exceed 181.0 In testimony whereof, I, R. MICHAEL TURNIPSEED, P. In testimony whereof, I, R. MICHAEL TURNIPSEED, P.
installed before any use of the work is filed. It is understood that any water of the all be used first by the permittee for the all be used first by the permittee for the all be used first by the permittee for the all be used first by the permittee for the all be used of the all in the described pure and a monthly report shall be submitted and of each calendar quarter which shall the all, the rate of diversion pumped and milling uses, project wide. SONTINUED ON PAGE 2) The amount of water to be changed shall be limited exceed. O.25 acre-feet annually. Work must be prosecuted with reasonable diligence and acre-feet annually. Application of water to beneficial use shall be made of the application of water to beneficial use shall be filed.	ed to beneficial use. The totalizing meter musater begins or before the proof of completion of btained as a result of this dewatering operation of mining, milling, heap leaching, drilling, roamilling uses herein after referred to as mining lace of use on this permit. In the State Engineer within 15 days after the linclude: the volume of water pumped from each from each well, the measurement of pumping water he volume of water consumptively used for mining to the amount which can be applied to beneficial use, and not to cubic feet per second. In the measurement of pumping water the volume of water consumptively used for mining to the amount which can be applied to beneficial use, and not to cubic feet per second. In the measurement of pumping water the volume of water consumptively used for mining to the amount which can be applied to beneficial use, and not to cubic feet per second. In the measurement of pumping water the volume of water consumptively used for mining to the amount which can be applied to beneficial use, and not to cubic feet per second. In the measurement of pumping water the volume of water consumptively used for mining to the amount which can be applied to beneficial use, and not to cubic feet per second. In the measurement of pumping water the volume of water pumped from each well.

€. N. E APR 1 9 1995

(O)-1108 (Rev. 6-81)

Page 2 59012-T

(PERMIT TERMS CONTINUED)

The State Engineer retains the right to regulate pumping from the dewatering project and/or any other groundwater withdrawals herein authorized to protect the public interest and existing rights. Any water pumped and not used for mining and milling purposes shall be injected or infiltrated back to the Kelley Creek Groundwater Basin. It is understood that this right must allow for a reasonable lowering of the static water level.

The State Engineer will retain the right to require additional monitoring. The permittee, on a schedule acceptable to the State Engineer, shall prepare and present an update on the activities of the mine and the monitoring on a periodic basis, but not less than two times per year.

All of the above stated conditions are issued subject to having no adverse impacts on existing rights.

This temporary permit does not extend the permittee the right of ingress and egress on public, private or corporate lands. The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies and is specifically issued contingent upon approval by the Nevada Division of Environmental Protection of the dewatering project. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030.

The total combined duty of water under Permits 49633, 49634, 50853, 50854, 52046, 52047, 52048, 52049, 52050, 52051, 53339, 53340, 53341, 58919-T, 58920-T, 59202-T, 59203-T, 59220-T, 59348-T, 59349-T, 59386-T, and 59387-T shall not exceed 6,121.0 acre-feet annually.

This temporary permit is issued pursuant to the provisions of NRS 533.345 Section 2 and will expire on April 19, 1995 at which time all rights herein granted shall revert to the right being changed by this temporary permit.

ATTACHMENT A

- 7. Proposed place of use T.39N., R.42E.: Section 24, part Sections 1,2,12; T.40N., R.42E.: Sections 13,24,25,36, part Sections 1,12,14,23,26,35; T.41N., R.42E.: part Sections 35,36: T.39N., R.43E.: Sections 3-10,15,16,19,21,28-33, part Sections 2,11,14,17,18,22: T.40N., R.43E.: Sections 5-8,14-23,26-34, part Sections 4,9-11,35: T.41N., R.43E.: part Sections 31 and 32 all M.D.B. & M.
- 8. Existing place of use T.40N., R.43E.: Sections 5-8,14-23,26-34, part Sections 4,9-11 and 35: T.39N., R.43E.: Sections 3-10,15,16,20,30 and part Sections, 2,11,14,17,18,21,22 and 28: T.39N., R.42E.: Section 24 and part Sections 1,2, and 12; T.40N., R.42E.: Sections 13,24,25,36, and part Sections 1,12,14,23,26,35; T.41N., R.42E.: part Sections 35 and 36; T.41N., R.43E.: part Sections 31,32 and all M.D.B. & M.